


X-ten X-Lite / X-Pro

This is one of the better soft phones that we have tested. The lite version is fairly full featured and the price is right. This is the quickest way to get up and running with Busytalk-VoIP's service until your hard phone arrives. You can download it and find full documentation at [Xten's website](#). For Eyebeam softphone video configuration, [click here](#). For legacy X-Ten X-Lite configuration, [click here](#).

NOTE: Do not try to use the # key to send a call as it will be interpreted as part of the phone number. Use the green phone symbol or the enter key instead.

STEP 1:

If this window is not opened yet, right click on any part of the softphone and select "SIP Account Settings" Click on "Add".



STEP 2:

Please enter your information in the fields that are circled in red. Use your own display name, username (your virtual number) and password.

Properties of Account1

Account Voicemail Topology Presence Advanced

User Details

Display Name	Jane Doe
User name	1234567
Password	••••
Authorization user name	
Domain	208.239.76.170

Domain Proxy

Register with domain and receive incoming calls

Send outbound via:

domain

proxy Address 208.239.76.170


target domain

Dialing plan #1|a|a.T;match=1;prestrip=2;

OK Cancel Apply

STEP 3

Click on the Topology tab. Select "Use Local IP Address". Select "Use specified server" and leave the corresponding box blank. Uncheck "Enable ICE".



Click OK and then Close.

STEP 4:
Make calls!

NOTE: Free soft phones typically only support CODEC G.711. Certain network routes do not support CODEC G.711. This may make it necessary to purchase an upgraded soft phone, or an actual IP device.